
NOVITA' GENNAIO/FEBBRAIO 2020





Nathe Loose Ring snaffle


single jointed

- mouth and tongue friendly
- joints made of anti-allergic plastic
- classical training bit
- increased pressure on the edges of the tongue and the lower jaw

direct and	nrecise	impact

suitable for all disciplines and education levels

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3060	Thermoplastic	125	5.	18	55
3060	Thermoplastic	135	5.1/4	18	55
3060	Thermoplastic	145	5.3/4	18	55
3062	Thermoplastic	125	5.	18	70
3062	Thermoplastic	135	5.1/4	18	70
3062	Thermoplastic	145	5.3/4	18	70
3064	Thermoplastic	125	5.	20	55
3064	Thermoplastic	135	5.1/4	20	55
3064	Thermoplastic	145	5.3/4	20	55
3066	Thermoplastic	125	5.	20	70
3066	Thermoplastic	135	5.1/4	20	70
3066	Thermoplastic	145	5.3/4	20	70



Nathe Loose Ring snaffle

double jointed

- mouth and tongue friendly
- joints made of anti-allergic plastic
- classical training bit
- even pressure distribution on the whole tongue and the lower jaw









Nathe Loose Ring snaffle

with SENSOGAN middle link

- mouth and tongue friendly
- the Sensogan middle piece fosters the acceptance of the bit and stimulates the flow of saliva
- improves the chewing activity of the horse



- direct and precise impact
- even pressure distribution on the tongue and lower jaw
- suitable for all disciplines and education levels
- bit guards protect the lips


Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3078	Thermoplastic	125	5.	18	70
3078	Thermoplastic	135	5.1/4	18	70
3078	Thermoplastic	145	5.3/4	18	70
3080	Thermoplastic	125	5.	20	70
3080	Thermoplastic	135	5.1/4	20	70
3080	Thermoplastic	145	5.3/4	20	70



Nathe Loose Ring snaffle


flexible with copper middle link


- mouth and tongue friendly
- the copper part fosters the acceptance of the bit and stimulates the flow of saliva




- steady and even pressure on the tongue
- bit guards protect the lips

Article number	Material		Size [inch]	Thickness [mm]	Ring-Ø [mm]
3084	Thermoplastic	125	5.	20	70
3084	Thermoplastic	135	5.1/4	20	70
3084	Thermoplastic	145	5.3/4	20	70









Nathe Eggbutt bit

- mouth and tongue friendly
- joints made of anti-allergic plastic
- lies steady in the horse's mouth, no slipping through
- direct impact on tongue and lower jaw due to fixed cheeks
- lateral contact for better stability


Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]	Mouthpiece
3128	Thermoplastic	125	5.	18	70	single jointed
3128	Thermoplastic	135	5.1/4	18	70	single jointed
3128	Thermoplastic	145	5.3/4	18	70	single jointed
3129	Thermoplastic	125	5.	18	70	double jointed
3129	Thermoplastic	135	5.1/4	18	70	double jointed
3129	Thermoplastic	145	5.3/4	18	70	double jointed

Nathe D-Ring bit

single jointed

- mouth and tongue friendly
- joints made of anti-allergic plastic
- lies steady in the horse's mouth, no slipping through
- increased impact on the tongue edges and lower jaw
- direct impact on tongue and lower jaw due to fixed cheeks
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle
- bit guards protect the lips

Article number	Material		Size [inch]	Thickness [mm]	Ring-Ø [mm]
3134	Thermoplastic	125	5.	18	75
3134	Thermoplastic	135	5.1/4	18	75
3134	Thermoplastic	145	5.3/4	18	75




Nathe D-Ring bit

double jointed

- mouth and tongue friendly
- joints made of anti-allergic plastic
- lies steady in the horse's mouth, no slipping through
- even pressure distribution on the tongue
- direct impact on tongue and lower jaw due to fixed cheeks
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle
- bit guards protect the lips

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3135	Thermoplastic	125	5.	18	75
3135	Thermoplastic	135	5.1/4	18	75
3135	Thermonlastic	1/15	5 3/4	18	75



Nathe D-Ring bit

with flexible Mullen Mouth

- mouth and tongue friendly
- lies steady in the horse's mouth, no slipping through
- with low port
- steady and even pressure distribution on the tongue
- direct impact on tongue and lower jaw due to fixed cheeks
- the lateral contact helps horses that tend to fall out whilst riding or approaching an obstacle
- with steel core

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø
3130	Thermoplastic	120	4.3/4	20	75
3130	Thermoplastic	130	5.1/8	20	75
3130	Thermoplastic	140	5.1/2	20	75







Nathe Standard snaffle


with flexible Mullen Mouth

- mouth and tongue friendly
- with low port
- suitable for young or sensitive horses
- steady and even pressure on the tongue



- higher pressure on tongue edges from rein aids
- with steel core

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3052	Thermoplastic	120	4.3/4	20	55
3052	Thermoplastic	130	5.1/8	20	55
3052	Thermoplastic	140	5.1/2	20	55
3054	Thermoplastic	120	4.3/4	20	70
3054	Thermoplastic	130	5.1/8	20	70
3054	Thermoplastic	140	5.1/2	20	70




Nathe Pony Standard snaffle

with flexible Mullen Mouth

- mouth and tongue friendly
- with low port
- suitable for young or sensitive horses
- steady and even pressure on the
- tongue ■ higher pressure on tongue edges from rein aids

Article number				Thickness [mm]	Ring-Ø
3050	Thermoplastic	110	4.1/4	16	55




Nathe Mullen Mouth bit

with port

- mouth and tongue friendly
- relieves the middle of the tongue
- suitable for horses that pull the tongue up
- suitable for strong horses
- available in three different degrees of hardness

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]	Hardness degree
3088	Thermoplastic	125	5.	15	70	hard
3088	Thermoplastic	135	5.1/4	15	70	hard
3088	Thermoplastic	145	5.3/4	15	70	hard
3092	Thermoplastic	125	5.	20	70	normal
3092	Thermoplastic	135	5.1/4	20	70	normal
3092	Thermoplastic	145	5.3/4	20	70	normal
3090	Thermoplastic	125	5.	15	70	soft
3090	Thermoplastic	135	5.1/4	15	70	soft
3090	Thermoplastic	145	5.3/4	15	70	soft




HS SPRENGER

Full cheek

Bits with fixed cheeks should fit closely to both mouth corners and must therefore be chosen smaller than loose ring snaffles. Due to the contact of the sidepart to the corner of the mouth the rider achieves additional support from the rein aids.

Recommended for horses with sensitive mouth corners, horses that tend to play with the bit and therefore give the rider an unsteady contact and for horses that tend to fall out whilst riding or approaching an obstacle.






Nathe Full Cheek snaffle

with flexible Mullen mouth

- with low port
- direct impact on tongue and lower jaw due to fixed cheeks
- cheeks provide lateral contact
- helps horses that tend to fall out whilst riding or approaching an obstacle
- bit guards protect the lips
- with steel core

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø
3100	Thermoplastic	120	4.3/4	20	55
3100	Thermoplastic	130	5.1/8	20	55
3100	Thermoplastic	140	5.1/2	20	55




Nathe Full Cheek snaffle

single jointed

- increased pressure on the edges of the tongue and the lower jaw
- direct impact on tongue and lower jaw due to fixed cheeks
- cheeks provide lateral contact
- helps horses that tend to fall out whilst riding or approaching an obstacle
- joints made of anti-allergic plastic
- bit guards protect the lips

Article number	Material		Size [inch]	Thickness [mm]	Ring-Ø
3104	Thermoplastic	125	5.	18	55
3104	Thermoplastic	135	5.1/4	18	55
3104	Thermoplastic	145	5.3/4	18	55



Nathe Full Cheek snaffle

double jointed

- even pressure distribution on the tongue and lower jaw
- direct impact on tongue and lower jaw due to fixed cheeks
- cheeks provide lateral contact
- helps horses that tend to fall out whilst riding or approaching an obstacle
- joints made of anti-allergic plastic
- bit guards protect the lips

Article number	Material		Size [inch]	Thickness [mm]	Ring-Ø [mm]
3108	Thermoplastic	125	5.	18	55
3108	Thermoplastic	135	5.1/4	18	55
3108	Thermoplastic	145	5.3/4	18	55








Nathe Pelham

with flexible Mullen Mouth

- impact on mouth, poll and lower jaw
- curb chain limits the leverage effect on the poll and acts on the lower jaw
- variable rein options to adjust the leverage effect on the poll
- suitable for strong horses
- bit guards protect the lips
- with steel core
- curb chain not included

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Lower cheek [cm]
3142	Thermoplastic	120	4.3/4	20	5.5
3142	Thermoplastic	130	5.1/8	20	5.5
3142	Thermoplastic	140	5.1/2	20	5.5
3144	Thermoplastic	120	4.3/4	20	7
3144	Thermoplastic	130	5.1/8	20	7
3144	Thermoplastic	140	5.1/2	20	7



Nathe Pelham

Article number


Mullen Mouth with port

- impact on mouth, poll and lower jaw
- relieves the middle of the tongue
- curb chain limits the leverage effect on the poll and acts on the lower jaw

Material

- variable rein options to adjust the leverage effect on the poll
- suitable for strong horses
- bit guards protect the lips curb chain not included

ze m]	Size [inch]	Thickness [mm]	Lower cheek [cm]	Hardness degree
25	5.	20	5.5	soft
35	5.1/4	20	5.5	soft
45	5.3/4	20	5.5	soft





Nathe Pelham

Mullen Mouth with port

- impact on mouth, poll and lower jaw
- relieves the middle of the tongue
- curb chain limits the leverage effect on the poll and acts on the lower jaw
- variable rein options to adjust the leverage effect on the poll
- suitable for strong horses
- bit guards protect the lips
- curb chain not included

Article number	Material	Size [mm]		Thickness [mm]	Lower cheek [cm]	Hardness degree
3150	Thermoplastic	125	5.	20	5.5	hard
3150	Thermoplastic	135	5.1/4	20	5.5	hard
3150	Thermoplastic	145	5.3/4	20	5.5	hard
3152	Thermoplastic	125	5.	20	7	hard
3152	Thermoplastic	135	5.1/4	20	7	hard
3152	Thermoplastic	145	5.3/4	20	7	hard



Pelham bit converters

Leather with nylon rope round webbed, by pair

easy to attach to the Pelham


■ HS Logo stamped on the leather part

Article number	Length [cm]	Colour
	16	black
	16	brown










Nathe Gag bit

with flexible Mullen Mouth

- impact on mouth, poll and corners of the mouth
- with gag effect, puts pressure on the corners of the mouth
- can be used with one or two pairs of reins
- suitable for technically demanding passages in the parcours, especially for horses that pull or lean on the bit
- for the sensitive rider's hand
- bit guards protect the lips
- with steel core

Article number	Material		Size [inch]	Thickness [mm]	Ring-Ø [mm]
3095	Thermoplastic	120	4.3/4	20	70
3095	Thermoplastic	130	5.1/8	20	70
3095	Thermoplastic	140	5.1/2	20	70



Nathe Full Cheek Gag bit

with flexible Mullen Mouth

- impact on mouth, poll and corners of the mouth
- with gag effect, puts pressure on the corners of the mouth
- can be used with one or two pairs of
- direct impact on tongue and lower jaw due to fixed cheeks
- cheeks provide lateral contact for horses that tend to fall out whilst turning
- suitable for technically demanding passages in the parcours, especially for horses that pull or lean on the bit
- for the sensitive rider's hand
- bit guards protect the lips
- with steel core

Article number	Material		Size [inch]	Thickness [mm]	Ring-Ø [mm]
3110	Thermoplastic	120	4.3/4	20	50
3110	Thermoplastic	130	5.1/8	20	50
3110	Thermoplastic	140	5.1/2	20	50



Nathe RNF-Bit

with flexible Mullen Mouth

- with low port
- 3 rein options to adjust the leverage effect on the poll
- variable pressure transmission to tongue and jaw angle
- curb chain limits the leverage effect on the poll and acts on the lower jaw
- bit guards protect the lips
- with steel core
- curb chain not included

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]
3165	Thermoplast	120	4.3/4	20
3165	Thermoplast	130	5.1/8	20
3165	Thermoplast	140	5.1/2	20



Gag cheeks nylon/leather

Leather with nylon rope round webbed, by pair

Article number	Colour	Length
2988	black	45 cm
2988	brown	45 cm




Nathe bit guards

■ 75 mm x 20 mm (by pair)

Article number	Colour
2970	black













Nathe TN-Snaffle

with flexible Mullen Mouth

- impact on lower jaw and tongue
- for the use of two pairs of reins
- the lower rein doses the effect of the chinstrap on the lower jaw
- suitable for mouth-sensitive horses with pronounced forward tendencies and horses that pull downwards

- Germany
- sliding of the mouthpiece prevents to much pressure on the tongue
- for the sensitive rider's handbit guards protect the lips
- with steel core

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3168	Thermoplastic	120	4.3/4	20	70
3168	Thermoplastic	130	5.1/8	20	70
3168	Thermoplastic	140	5.1/2	20	70





Nathe Tandem snaffle

with flexible Mullen Mouth

- impact on lower jaw, nose, tongue and poll
- suitable for mouth-sensitive horses as the pressure is distributed on several impact points
- variable rein options to adjust the leverage effect on the poll
- for the sensitive rider's hand
- bit guards protect the lips

_	2.4.1		
	with	stee	Lcor

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]
3170	Thermoplastic	120	4.3/4	20
3170	Thermoplastic	130	5.1/8	20
3170	Thermoplastic	140	5.1/2	20



Nathe Standard snaffle

with additional small rings

- flexible mouthpiece with low port
- big rings not pivotable to the outside, assists in riding turns
- small ring fixes big ring, limited sliding of the mouthpiece, direct effect on the tongue
- lies steady in the mouth, suitable for horses with contact problems
- bit guards protect the lips
- with steel core



Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3115	Thermoplastic	120	4.3/4	20	70
3115	Thermoplastic	130	5.1/8	20	70
3115	Thermoplastic	140	5.1/2	20	70



Nathe Mullen Mouth bit


with port and additional small ring

- mouthpiece with port, relieves the middle of the tongue
- big rings not pivotable to the outside, assists in riding turns
- small ring fixes big ring, limited sliding of the mouthpiece, direct effect on the tongue
- lies steady in the mouth, suitable for horses with contact problems
- bit guards protect the lips

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3118	Thermoplastic	120	4.3/4	20	70
3118	Thermoplastic	130	5.1/8	20	70
3118	Thermoplastic	140	5.1/2	20	70








Nathe 3-Ring bit

with flexible Mullen Mouth

- with low port
- suitable for horses with pronounced forward tendencies
- variable rein options to adjust the leverage effect on the poll
- greater impact on horses that evade upwards, get strong and are hard to control
- bit guards protect the lips
- with steel core

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3154	Thermoplastic	120	4.3/4	20	70
3154	Thermoplastic	130	5.1/8	20	70
3154	Thermoplastic	140	5.1/2	20	70



Nathe 3-Ring bit


single jointed

- suitable for horses with pronounced forward tendencies
- variable rein options to adjust the leverage effect on the poll
- increased pressure on the edges of the tongue and the lower jaw

greater impact on horses that evade
upwards, get strong and are hard to
control

■ joints made of anti-allergic plastic

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3156	Thermoplastic	125	5.	18	70
3156	Thermoplastic	135	5.1/4	18	70
3156	Thermoplastic	145	5.3/4	18	70
3158	Thermoplastic	125	5.	20	70
3158	Thermoplastic	135	5.1/4	20	70
3158	Thermoplastic	145	5.3/4	20	70



Nathe 3-Ring bit

double jointed

- suitable for horses with pronounced forward tendencies
- variable rein options to adjust the leverage effect on the poll
- even impact on the tongue and lower iaw

greater impact on horses that evade
upwards, get strong and are hard to
control

■ joints made of anti-allergic plastic

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3160	Thermoplastic	125	5.	18	70
3160	Thermoplastic	135	5.1/4	18	70
3160	Thermoplastic	145	5.3/4	18	70
3162	Thermoplastic	125	5.	20	70
3162	Thermoplastic	135	5.1/4	20	70
3162	Thermoplastic	145	5.3/4	20	70



Nathe 3-Ring

with flexible Mullen Mouth and sliding cheek

- impact on tongue, poll and corners of the mouth
- with gag effect, puts pressure on the corners of the mouth
- variable rein options to adjust the leverage effect on the poll and the pressure on the corners of the mouth
- high lateral contact
- suitable for horses with pronounced forward tendencies, especially ideal for horses that pull or lean on the bit
- bit guards protect the lips
- special production in size 120 mm possible
- with steel core

Article number	Material	Size [mm]	Size [inch]	Thickness [mm]	Ring-Ø [mm]
3164	Thermoplastic	130	5.1/8	20	70
3164	Thermoplastic	140	5.1/2	20	70





LISTINO PUBBLICO / RIVENDITORE PRODOTTI TECH STIRRUPS ANNO 2020

PREZZO AL PUBBLICO

		C	ONSIGLIATO
Art.10470	Staffa ATHENA - SALTO	€	149,50
Art.10471	Staffa ATHENA PLUS - SALTO	€	200,00
Art.10472	Staffa ATHENA YOUNG - SALTO	€	147,20
Art.10474	Staffa IRIS - CROSS	€	149,50
Art.10476	Staffa APHRODITE - DRESSAGE	€	149,50
Art.10477	Staffa APHRODITE PLUS - DRESSAGE	€	200,00
Art.10480	Staffa DIANA - CACCIA	€	149,50
Art.10482	Staffa VENICE	€	270,00
Art.10483	Staffa VENICE YOUNG	€	214,00
Art.10485	Staffa VENICE SLOPED	€	286,00
Art.10486	Staffa VENICE LIGHT	€	352,00
Art.10487	Staffa VENICE LIGHT PLUS	€	365,00
Art.10490	Staffa BRIXIA - ENDURANCE	€	152,00
Art.10491	Staffa BRIXIA LIGHT - ENDURANCE	€	180,00
Art.10492	Gabbia in plastica per BRIXIA	€	25,00
Art.10495	Staffa ROME - GALOPPO	€	180,00
Art.12400	Speroni MILAN (taglia m)	€	90,00
Art.12405	Speroni MILAN (taglia S)	€	90,00
Art.12410	Gambi con rotella liscia	€	30,00
Art.62488	Calza RAINBOW	€	10,00
Art.62489	Calza FASHION	€	28,00
Art.62490	Calza BREATHABLE (prezzo x 2 pa.)	€	20,00
Art.62495	Calza TECHNICAL	€	20,00
Art.65890	Cappellino	€	22,00
Art.10518	Kit pulizia	€	20,00
Art.10481	Ricambio pedana VENICE	€	34,00
Art.10488	Ricambio pedana VENICE LIGHT	€	45,00
Art.	*Ricambio pedana VENICE SLOPED	€	45,00

^{*} DISPONIBILE SU ORDINAZIONE

NOVITA' GENNAIO/FEBBRAIO 2020



STAFFE DI SICUREZZA TECH-STIRRUPS NUOVI COLORI

Codice	Descrizione
10482	VENICE NUOVO COLORE ARGENTO/VIOLA, NERO/VIOLA
10483	VENICE YOUNG, NUOVO COLORE ARGENTO/VIOLA, NERO/VIOLA
10486	VENICE LIGHT, NUOVO COLORE ARGENTO/VIOLA, NERO/VIOLA
10487	VENICE LIGHT PLUS, NUOVO COLORE ARGENTO/VIOLA, NERO/VIOLA

NOVITA' GENNAIO/FEBBRAIO 2020





STRIGLIA IN LEGNO CON LAMA MISURA 156X58 MM

STRIGLIA IN LEGNO CON LAMA, IDEALE PER RIMUOVERE IL PELO MORTO 16456

SET DI 4 SOTTOFASCE CON VELCRO

23705-BL 23705-N 2 PZ. MIS.45X45 CM - 2 PZ. MIS.45X33 CM - BLU 2 PZ. MIS.45X45 CM - 2 PZ. MIS.45X33 CM - NERO



SOTTOSELLA CON RINFORZI E DOPPIO CORDONE

Codice Descrizione

47931-FAZ 47931-FBL AZZURRO ITALIA, CORDE ARGENTO, MIS.FULL BLU SCURO, CORDE ARGENTO, MIS.FULL BORDEAUX, CORDE ARGENTO, MIS.FULL 47931-FBO



SET SOTTOSELLA E CUFFIA

Codice Descrizione

IN COTONE CON CORDA ORO. MISURA FULL 47936 COLORE BLU: NERO, VERDE SCURO



NOVITA' GENNAIO/FEBBRAIO 2020





FRUSTINO FLECK SILK TOUCH CRYSTAL

Descrizione

51538-NNK 51538-NOR CM.65 COLORE NERO FINITURE NICKEL CM.65 COLORE NERO FINITURE ORO ROSA

FRUSTINO FLECK DRESSAGE SILK TOUCH CRYSTAL

Codice

51625-NNK 51625-NOR CM.110 COLORE NERO FINITURE NICHELATA CM.110 COLORE NERO FINITURE ORO ROSA





GUANTI HIRZL BASIC EQUESTRIAN

Codice Descrizione

66930

PELLE SINTETICA. COLORE NERO. MISURE: 65-70-75-80-85-90-95-100

